
### Vulnerability of Coastal Parks to Sea-Level Rise



Kenai Fjords NP

Rebecca Beavers, Ph.D.

NPS Geologic Resources Division





## Coastal Change









### **Outline**

#### CVI Methods


#### Parks:

- Cape Cod NS
- Gulf Islands NS
- Fire Island NS
- Cape Hatteras NS
- Olympic NP
- •NP of American Samoa
- **Digital Products**





#### Motivation for sea-level rise research







# Coastal Vulnerability to Sea-Level Changes

- **⇒** Relative Sea-level
- Wave Heights
- **⇒** Tide Range
- Coastal Erosion Rates
- Coastal Slope
- Geomorphology



**Gulf Islands NS** 





## National Assessment of Coastal Vulnerability to Sea-Level Rise

E. Robert Thieler, Jeff Williams, Erika Hammar-Klose



**Atlantic Coast** 

**Pacific Coast** 

**Gulf Coast** 





### Relative Coastal Vulnerability of National Park Resources to Sea-Level Rise

Elizabeth A. Pendleton, E. Robert Thieler, S. Jeffress Williams, Rebecca L. Beavers, and Erika S. Hammar-Klose

#### Motivation

- The rate of eustatic SLR is expected to accelerate based on studies considered by the IPCC.
- The best estimate of SLR rate for the 21st century is 4.8 mm/yr; this is more than double the rate for the past 100 yr -- 1.8 mm/yr.



#### **Objectives**

- Highlight areas where coastal change as a result of sea-level change may be most likely to occur.
- Provide NPS with a quantitative tool to assist in managing resources that may be vulnerable to SLR.






## PROPOSED PARKS FOR COASTAL VULNERABILITY INDEX (CVI) ASSESSMENT

#### **PACIFIC COAST**

Channel Islands NP Golden Gate NRA Olympic NP Point Reyes NS

#### **ALASKA**

Kenai Fjords NP Glacier Bay NPP



#### **NORTHEAST**

Assateague Island NS
Cape Cod NS
Colonial NHP
Fire Island NS
Gateway NRA

#### SOUTHEAST

Cape Hatteras NS Cumberland NS Virgin Islands NP

#### **PACIFIC ISLANDS**

Kaloko-Honokohau NHP NP of American Samoa War in the Pacific NHP

#### **GULF OF MEXICO**

Dry Tortugas NP Gulf Islands NS Jean Lafitte NHP Padre Island NS DeSoto NMEM

#### **GREAT LAKES**

Apostle Islands NL Indiana Dunes NL Sleeping Bear Dunes NL

- mapped with USGS funding
- mapped with Fee Demonstration funding
- mapped with NRPP funding





#### The CVI GIS database



- Acquire high resolution shoreline for the park
- begin joining existing data for vulnerability assessment to the shoreline shapefile





#### CVI Variables and Sources of Data

Geologic Variables

Physical Process Variables

VARIABLES	sou	RCE							
GEOMORPHOLOGY	Aerial Photography from MassGIS and USGS	http://edcwww.cr.usgs.gov/							
SHORELINE EROSION/ACCRETION (m/yr)	USGS Administrative Report: The Massachusetts Shoreline Change Project: 1800s -1994 (Thieler et al., 2001)	http://www.state.ma.us/czm/shorelinechange.htm							
COASTAL SLOPE (%)	NGDC Coastal Relief Model Vol 01 12/17/1998	http://www.ngdc.noaa.gov/mgg/							
RELATIVE SEA-LEVEL CHANGE (mm/yr)	NOAA Technical Report NOS CO- OPS 36 SEA LEVEL VARIATIONS OF THE UNITED STATES 1854-1999 (Zervas, 2001)	http://www.co- ops.nos.noaa.gov/publications/techrpt36doc.pdf							
MEAN SIGNIFICANT WAVE HEIGHT (m)	North Atlantic Region WIS Data (Phase II) and NOAA National Data Buoy Center	http://bigfoot.wes.army.mil/u003.html http://seaboard.ndbc.noaa.gov/							
MEAN TIDE RANGE (m)	NOAA/NOS CO-OPS Historical Water Level Station Index	http://www.co- ops.nos.noaa.gov/station_index.shtml?state=							





#### Ranges for Vulnerability Ranking of Variables

	VERY LOW	LOW	MODERATE	HIGH	VERY HIGH		
VARIABLES	VERT LOW						
	1	2	3	4	5		
GEOMORPHOLOGY	Rocky, cliffed coasts Fjords	Medium cliffs Indented coasts	Low cliffs Glacial drift Alluvial plains	Cobble Beaches Estuary Lagoon	Barrier beaches, Sand beaches, Salt marsh, Mud flats, Deltas, Mangroves, Coral reefs		
SHORELINE EROSION/ACCRETION (m/yr)	> 2.0	1.0 - 2.0	-1.0 - 1.0	-2.01.0	< -2.0		
COASTAL SLOPE (%)	> 1.20 >1.90		0.90 - 0.60 1.30 - 0.90	0.60 - 0.30 0.90 - 0.60	< 0.30 <0.60		
RELATIVE SEA-LEVEL CHANGE (mm/yr)	< 1.8	1.8 - 2.5	2.5 - 3.0	3.0 - 3.4	> 3.4		
MEAN WAVE HEIGHT (m)	< 0.55 < 1.10	0.55 - 0.85 1.1 - 2.0	0.85 - 1.05 2.0 -2.25	1.05 - 1.25 2.25 - 2.60	> 1.25 > 2.60		
MEAN TIDE RANGE (m)	FIDE RANGE (m) > 6.0		2.0 - 4.0	1.0 - 2.0	< 1.0		

Atlantic/Gulf Ranges
Pacific Ranges





## Coastal Vulnerability Index (CVI) Calculation



Attributes of Cacoshr.shp												_ 8 ×			
X_coord	Y_coord	Gridoods	Landform	Slape	Tide	Sastree	Waves	Shorchange	Richange	Riskgoe	Rgas	Ritide	Amore	Reed	Cvi
-70.07455	41,89225	43	Spit	0.3066	3.04800	1,895	0.90	-0.4352	3	.5	5	3	3	2	15.000000000.
-70.07455	41.87555	46	Spit	0.2245	3.04800	1.895	0.90	-0.4352	3	5	5	3	3	2	15.000000000
+70.05785	41.87555	47	Spit	0.7836	3.04880	1.895	0.90	-0.4352	3	4	5	3	3	2	13.41640786
-70.07455	41.95905	30	Beach	1.6799	3.04800	1.895	0.90	-0.3572	3	2	5	3	3	2	9.48683298
-70.07455	41.94235	32	Beach	1.4247	3.04800	1.895	0.90	-0.5439	3	2	5	3	3	2	9.48683298
-70.07455	41.92565	36	Beach	0.8514	3.04800	1.895	0.90	-1.0374	4	3	5	3	3	2	13.41640786
-70.07455	41.90895	39	Beach	0.5396	3.04800	1.895	0.90	-0.4352	3	4	5	3	3	2	13.41640786
-70.07455	41.89225	43	Spit	0.3066	3.04800	1.895	0.90	-0.4352	3	5	5	3	3	2	15.00000000
-70.24155	42.07595	2	Low Cliff	3.8527	2.78590	1.895	1.10	0.9734	3	- 1	3	3	- 4	2	6.00000000
-70.22485	42.07595	3	Low Cliff	1.7287	2.78590	1.895	1.20	0.9847	3	- 1	3	3	4	2	6.000000000
-70.20815	42.07595	4	Low Cliff	1.1136	2.78590	1.895	1.20	0.7759	3	3	3	3	4	2	10.39230484
-70.19145	42.07595	5	Low Cliff	0.9970	2.78590	1.895	1.20	-0.0103	3	3	3	3	4	2	10.39230484
-70.17475	42.07595	6	Low Cliff	1.2001	2.78590	1.895	1.30	-0.4071	3	2	3	3	5	2	9.48683298
-70.15805	42.07595	7	Low Cliff	1.4314	2.78590	1.895	1.30	0.1950	3	2	3	3	5	2	9.48683298
-70.14135	42.07595	8	Low Cliff	1.5738	2.78590	1.895	1.30	-0.2147	3	2	3	3	5	2	9.48683298
-70.12465	42.07595	9	Low Cliff	1.5086	2.78590	1.895	1.30	-0.2740	3	2	3	3	5	2	9.48683298
-70 24155	42 05925	10	I now C'liff	3.8560	2 78590	1.895	1 10	0.7024	3	1	3	3	4	2	

$$CVI = \frac{\sqrt{a * b * c * d * e * f}}{6}$$

where a = geomorphology,
b = shoreline erosion/accretion rate,
c = regional coastal slope,
d = relative sea-level change,
e = mean significant wave height,
and f = mean tidal range





### **Outline**


## CVI Methods Parks:

- Cape Cod NS
- Gulf Islands NS
- Fire Island NS
- Cape Hatteras NS
- Olympic NP
- •NP of American Samoa


**Digital Products** 









### Geomorphologic Vulnerability for CACO








#### Regional Coastal Slope Vulnerability for CACO










## Physical Process Variables for CACO










#### CVI Assessment for CACO





1996 location





### **Outline**

## CVI Methods Parks:

- Cape Cod NS
- Gulf Islands NS
- Fire Island NS
- Cape Hatteras NS
- Olympic NP
- NP of American Samoa
- **Digital Products**






## Gulf Islands National Seashore (GUIS)


Located in Florida and Mississippi












#### **CVI** Assessment for Gulf Islands **National Seashore**



Island (high to very high vulnerability)







### After Hurricane Ivan FLORIDA Geologic Variables Physical Variables **Vulnerability Ranking** GULF OF MEXICO VERY HIGH MODERATE 1 = Geomorphology 2 = Shoreline Change **ZUSGS** 3 = Coastal Slope 4 = Sea-Level Change 5 = Signficant Wave Height

### **Outline**

## CVI Methods Parks:

- Cape Cod NS
- Gulf Islands NS
- Fire Island NS
- Cape Hatteras NS
- Olympic NS
- NP of American Samoa

**Digital Products** 





#### Fire Island National Seashore (FIIS) Located in New York











#### Geomorphologic Vulnerability for FIIS



#### Shoreline Change Vulnerability for FIIS












#### **CVI** Assessment for FIIS







### **Outline**

## CVI Methods Parks:


- Cape Cod NS
- Gulf Islands NS
- Fire Island NS
- Cape Hatteras NS
- Olympic NP
- NP of American Samoa
- **Digital Products**





# Cape Hatteras National Seashore (CAHA) Located in North Carolina












### Geomorphologic Vulnerability for CAHA





### CVI Assessment for CAHA







### **Outline**

## CVI Methods Parks:


- Cape Cod NS
- Gulf Islands NS
- Fire Island NS
- Cape Hatteras NS
- Olympic NP
- •NP of American Samoa Digital Products







CVI Assessment for OLYM Physical Process Variables PACIFIC OCEAN Park Boundary 1 = Geomorphology 2 = Shoreline Change 3 = Coastal Slope 4 = Relative Sea Level Rise 5 = Significant Wave Height 6 = Tidal Range Vulnerability Ranking Elevation VERY HIGH KALALDOH HIGH MODERATE LOW 1,500 **⊠USGS** 



### CVI Assessment for OLYM used for GMP







### **Outline**


## CVI Methods Parks:


- Cape Cod NS
- Gulf Islands NS
- Fire Island NS
- Cape Hatteras NS
- Olympic NP
- •NP of American Samoa

**Digital Products** 











# CVI Assessment for National Park of American Samoa







## CVI Assessment for other National Park Units



Condemon Final Value Control C

Assateague Island NS


Assateague Island NS

Gateway NRA

RELATIVE COASTAL VULNERABILITY

Cumberland Island NS

rability Ranking
Voter Hood
ModeRATE
LOW
Voter Low
S 1 2 len
S 5 1 es



**ZUSGS** 

Dry Tortugas NP

COLORBARS
1 = Geomorphotogy
2 = Shoreine Change
3 = Coastal Slope
4 = Relative Sea Leve

Height 6 = Tidal Range

Kenai Fjords NP



### **CVI Project Summary**

The results from this study can be used in at least two ways

- 1) To identify areas within the park where physical change as a result of sea-level rise may be most likely to occur
- 2) As a planning tool for managing and protecting resources within National Parks





### **Outline**


## CVI Methods Parks:


- Cape Cod NS
- Gulf Islands NS
- Fire Island NS
- Cape Hatteras NS
- Olympic NS
- •NP of American Samoa

**Digital Products** 









### Products

- 1) Open File Report in Electronic Book Format
- 2) Shapefiles and project files used in analysis with metadata





#### CVI website

#### http://woodshole.er.usgs.gov/project-pages/nps-cvi/





**USGS Coastal & Marine Program** 

**USGS Woods Hole Science Center** 

## Relative Coastal Vulnerability Assessment of National Park Units to Sea-Level Rise


#### **Project Description**

The National Park Service (NPS) is responsible for managing nearly 12,000 km (7,500 miles) of shoreline along oceans and lakes. In 2001 the U.S. Geological Survey (USGS), in partnership with the NPS Geologic Resources Division, began conducting hazard assessments of future sea-level change by creating maps to assist NPS in managing its valuable resources. This website contains results of the coastal vulnerability index (CVI) assessment for several national park units, highlighting areas that are likely to be most affected by future sea-level rise.

Through the use of a CVI, the likelihood that physical changes will occur as sea-level rises is quantified based on the following criteria: tidal range, wave height, coastal slope, shoreline change, geomorphology, and historical rate of relative sea-level rise. This approach combines a coastal system's susceptibility to change with its natural ability to adapt to changing environmental conditions, and yields a relative measure of the system's natural vulnerability to the effects of sea-level rise. National Park Service staff are using the CVI data for long-term resource management plans, park facilities planning such as relocating building or roads, and assessing long-term threats to resources.


















#### CVI website

http://woodshole.er.usgs.gov/project-pages/nps-cvi/



